

















































Profiles



Model	Page	Section Size	Installation
BOX 10	204	35x25 mm	 Recessed
BOX 11	202	16x15 mm	 Recessed
BOX 12	202	10x15 mm	 Surface
BOX 13	203	17,9x5,7 mm	 Surface / Flex
BOX 14	198	16x16 mm	 Surface / Corner
BOX 15	189	25x7 mm	 Recessed
BOX 16	189	17,3x7 mm	 Surface
BOX 17	190	25x14,5mm	 Recessed
BOX 18	190	17,3x14,5 mm	 Surface
BOX 19	204	25x25 mm	  Surface / Pendant
BOX 21	216	26,2x76,2 mm	 Recessed
BOX 22	212	17,8x48,6 mm	 Surface
BOX 23	191	23x10,8 mm	 Surface
BOX 24	207	29,5x17,4 mm	 Recessed
BOX 27	217	17,7x43,5 mm	 Surface
BOX 28	223	18x22,2 mm	 Surface
BOX 29	225	21x26mm	 Recessed
BOX 30	227	12x2 mm / 20x2mm	 Surface
BOX 32	211	35,9x14 mm	 Trimless
BOX 33	213	29,4x50 mm	 Surface
NEW BOX 34	186	Ø62 mm	  Surface / Pendant
BOX 35	197	35x35 mm	  Surface / Pendant


Max Power	IP	Standard finishes	Standard Size
25W MAX	20 IP	White Black Alum.	2m
15W MAX	20 IP	Alum.	2m
15W MAX	20 IP	Alum.	2m
15W MAX	20 IP	Alum.	2m
15W MAX	20 IP	White Black Alum.	2m
20W MAX	20 IP	White Black Alum.	2m
20W MAX	20 IP	White Black Alum.	2m / 4m
20W MAX	20 IP	White Black Alum.	2m
20W MAX	20 IP	White Black Alum.	2m / 4m
25W MAX	20 IP	White Black Alum.	2m
15W MAX	20 IP	White Alum.	2m
2x15W MAX	20 IP	Black Alum.	2m
25W MAX	20 IP	White Black Alum.	2m
20W MAX	20 IP	White Black Alum.	2m
15W MAX	20 IP	White Black Alum.	2m
40W MAX	20 IP	Alum.	2m
25W MAX	55 IP	Alum.	2m
20W MAX 40W MAX	20 IP	Alum.	2m
20W MAX	20 IP	White	2m
20W MAX	20 IP	White Black Alum.	2m
30W MAX	20 IP	Alum.	2m
40W MAX	20 IP	White Black Alum.	2m

Model	Page	Section Size	Installation
BOX 37	205	79x32 mm	 Trimless
BOX 38	197	50x35 mm	 Recessed
BOX 39	222	Ø28 mm	  Surface / Pendant
NEW BOX 41	187	30x35 mm	  Surface / Pendant
BOX 43	194	18,5x11,8 mm	 Surface
BOX 53	191	30,5x10,8mm	 Recessed
NEW BOX 57	186	Ø40 mm	  Surface / Pendant
BOX 60	199	20x16 mm	 Surface / Corner
BOX 65	219	15x80 mm	 Surface / Skirting
BOX 67	221	65x28 mm	 Surface / Stairs
BOX 68	211	60x13 mm	 Trimless
BOX 69	209	56,4x13,3 mm	 Trimless
BOX 71	198	18,4x18,4 mm	 Surface / Corner
BOX 73	226	21x21 mm	 Surface
BOX 74	194	26,5x12,5 mm	 Recessed
BOX 75	195	16x24,5 mm	  Surface / Pendant
BOX 87	193	12,5x8,7 mm	 Recessed
NEW BOX 89	187	35x61,7 mm	  Surface / Pendant
BOX 92	193	18,7x10,5 mm	 Recessed
BOX 95	195	23,25x22 mm	 Recessed
BOX 98 railing	215	78,8x95 mm	 Surface / Railing
BOX 99	201	10x12 mm	  Surface / Pendant


Max Power	IP	Standard finishes	Standard Size
40W MAX	40 IP	White	2m
40W MAX	20 IP	White Black Alum.	2m
25W MAX	20 IP	Black	2m
30W MAX	20 IP	White Black	2m
25W MAX	20 IP	White Black Alum.	2m
25W MAX	20 IP	White Black Alum.	2m
22W MAX	20 IP	Alum.	2m
20W MAX	20 IP	White Black Alum.	2m
12W MAX	20 IP	White Black Alum.	2m
12W MAX	20 IP	Black	2m
20W MAX	20 IP	White Black	2m
15W MAX	20 IP	Alum.	2m
22W MAX	20 IP	White Black Alum.	2m
22W MAX	20 IP	White Black Alum.	2m
25W MAX	20 IP	White Black Alum.	2m
15W MAX	20 IP	White Black Alum.	2m
15W MAX	20 IP	White Alum.	2m
30W MAX	20 IP	White Black	2m
15W MAX	20 IP	Alum.	2m
22W MAX	20 IP	White Black Alum.	2m
30W MAX	20 IP	White Black	2m
20W MAX	20 IP	White Black	2m

NEW


Box 34




*Useful area: 25x12mm.



Box 57



*Useful area: 15x12mm.




Box 34



Box 57



Compatible led strips.



Technical Information

Max. power	30W/m	22W/m
Installation	Surface / Pendant	Surface / Pendant
Material	Aluminium 6063 / 6060	Aluminium 6063 / 6060
Diffuser	Opal PC 80%	Opal PC 80%
Finishes	Aluminium	Aluminium
Code	☐ 34121	☐ 57121

ⓘ Consult delivery terms and conditions.

Box 34 accessories



End Cap

- 34621
- 34622
- 34623



Suspension Kit Metallic (2m)

- 34720
- 34721
- 34722

Box 57 accessories



End Cap

- 57621
- 57622
- 57623




Suspension Kit Metallic (2m)

- 34720
- 34721
- 34722





Ceiling suspension

- 40555




NEW


Box 41




*Useful area: 15x5mm.




Box 89



*Useful area: 20x12mm.



Compatible led strips.



Technical Information

Max. power	30W/m	30W/m
Installation	Surface / Pendant	Surface / Pendant
Material	Aluminium 6063 / 6060	Aluminium 6063 / 6060
Finishes	White / Black	White / Black
Code	<input type="checkbox"/> 41121 <input type="checkbox"/> 41122 <input checked="" type="checkbox"/> Custom RAL	<input type="checkbox"/> 89121 <input type="checkbox"/> 89122 <input checked="" type="checkbox"/> Custom RAL

ⓘ Consult delivery terms and conditions.


Box 41 accessories

Diffuser PC Opal 80° 41440
 Diffuser PC Prismatic 83° 41450
 Diffuser PC Low glare black 41472
 End Cap 41621 41622
 Clip Metallic 41330
 Suspension Kit Metallic (2m)
 41780
 41781
 41782


Box 89 accessories

Diffuser PC Opal 135° 89440
 End Cap 89621 89622
 Clip Metallic 89330
 Suspension Kit Metallic (2m)
 34720
 34721
 34722






Box 15




*Useful area: 12x5mm.




Box 16



*Useful area: 12x5mm.



Compatible led strips.



Box 15



Box 16



Technical Information

Max. power	20W/m	20W/m
Installation	Recessed	Surface
Material	Aluminium 6063 / 6060	Aluminium 6063 / 6060
Finishes	White / Black / Aluminium	White / Black / Aluminium
Code	<input type="checkbox"/> 15121 <input checked="" type="checkbox"/> 15122 <input type="checkbox"/> 15119 <input checked="" type="checkbox"/> Custom RAL	<input type="checkbox"/> 16121 <input checked="" type="checkbox"/> 16122 <input type="checkbox"/> 16119 <input checked="" type="checkbox"/> Custom RAL

ⓘ Consult delivery terms and conditions.

Common accessories


Diffuser PC Transp. 90% <input type="checkbox"/> 20450	Diffuser PC Opal 70% <input type="checkbox"/> 20440	Diffuser PC Black 50% <input type="checkbox"/> 20472	Diffuser Silicone Opal 60% (max. 60m) <input type="checkbox"/> 20469 <input type="checkbox"/> 20469-15

Box 15 accessories

End Cap <input type="checkbox"/> 15631 <input checked="" type="checkbox"/> 15632 <input type="checkbox"/> 15633	End Cap <input type="checkbox"/> 15621 <input checked="" type="checkbox"/> 15622 <input type="checkbox"/> 15623

Box 16 accessories


End Cap <input type="checkbox"/> 16631 <input checked="" type="checkbox"/> 16632 <input type="checkbox"/> 16633	End Cap <input type="checkbox"/> 16621 <input checked="" type="checkbox"/> 16622 <input type="checkbox"/> 16623	Clip Metallic <input type="checkbox"/> 20330	Clip Rotable Metallic <input type="checkbox"/> 20350	Clip PC <input type="checkbox"/> 20380 <input checked="" type="checkbox"/> 20382



Box 17





Box 18



18mm x L


*Useful area: 12x10mm.



*Useful area: 12x10mm.



65°




65°



60°



Compatible led strips.



Technical Information

Max. power	20W/m	20W/m
Installation	Recessed	Surface
Material	Aluminium 6063 / 6060	Aluminium 6063 / 6060
Finishes	White / Black / Aluminium	White / Black / Aluminium
Code	<input type="checkbox"/> 17121 <input checked="" type="checkbox"/> 17122 <input type="checkbox"/> 17119 <input checked="" type="checkbox"/> Custom RAL	<input type="checkbox"/> 18121 <input checked="" type="checkbox"/> 18122 <input type="checkbox"/> 18119 <input checked="" type="checkbox"/> Custom RAL

ⓘ Consult delivery terms and conditions.

Common accessories

- Diffuser PC
Transp. 90%
 20450
- Diffuser PC
Opal 70%
 20440
- Diffuser PC
Black 50%
 20472
- Diffuser
Silicone
Opal 60%
(max. 60m)
 20469
 20469-15

Box 17 accessories

- End Cap
 17631
 17632
 17633
- End Cap
 17621
 17622
 17623

Box 18 accessories

- End Cap
 18631
 18632
 18633
- End Cap
 18621
 18622
 18623
- Clip
Metallic
 20330
- Clip
Rotable
Metallic
 20350
- Clip PC
 20380
 20382
- End Cap 60°
 18651
 18652
 18653
- End Cap 60°
 18661
 18662
 18663
- Diffuser PC
Optic 60°
Transp. 90%
 20430




Box 53




Box 23




25mm x L




*Useful area: 20x6mm.



*Useful area: 20x6mm.




115°



115°

Compatible led strips.



Box 53



Box 23

Technical Information

Max. power	25W/m	25W/m
Installation	Recessed	Surface
Material	Aluminium 6063 / 6060	Aluminium 6063 / 6060
Finishes	White / Black / Aluminium	White / Black / Aluminium
Code	<input type="checkbox"/> 53121 <input checked="" type="checkbox"/> 53122 <input type="checkbox"/> 53119 <input checked="" type="checkbox"/> Custom RAL	<input type="checkbox"/> 23121 <input checked="" type="checkbox"/> 23122 <input type="checkbox"/> 23119 <input checked="" type="checkbox"/> Custom RAL

Consult delivery terms and conditions.

Common accessories



Diffuser PC
Opal 70%
 23480

Box 53 accessories



End Cap
 53631
 53632
 53633



End Cap
 53621
 53622
 53623

Box 23 accessories



End Cap
 23631
 23632
 23633



End Cap
 23621
 23622
 23623




Clip PC
 23380





Box 87





*Useful area: 5x2,5mm.




70°

Box 92




*Useful area: 12x3mm.



95°

Compatible led strips.



Box 87



Box 92



Technical Information


Max. power	15W/m	15W/m
Installation	Recessed	Recessed
Material	Aluminium 6063 / 6060	Aluminium 6063 / 6060
Finishes	Black / Aluminium	Aluminium
Code	■ 87122 □ 87119 ⓘ Custom RAL	□ 92119 ⓘ Custom RAL

ⓘ Consult delivery terms and conditions.

Box 87 accessories






Box 92 accessories



Box 74

Box 43



*Useful area: 16x6mm.

*Useful area: 14x5mm.



85°



90°


Box 74



Box 43



Compatible led strips.



Technical Information

Max. power	25W/m	25W/m
Installation	Recessed	Surface
Material	Aluminium 6063 / 6060	Aluminium 6063 / 6060
Finishes	White / Black / Aluminium	White / Black / Aluminium
Code	<input type="checkbox"/> 74121 <input checked="" type="checkbox"/> 74122 <input type="checkbox"/> 74119 <input checked="" type="checkbox"/> Custom RAL	<input type="checkbox"/> 43121 <input checked="" type="checkbox"/> 43122 <input type="checkbox"/> 43119 <input checked="" type="checkbox"/> Custom RAL

Consult delivery terms and conditions.

Common accessories



Diffuser PC
Opal 70%
 43440

Box 74 accessories



End Cap
 74631
 74632
 74633



End Cap
 74621
 74622
 74623

Box 43 accessories



End Cap
 43631
 43632
 43633



End Cap
 43621
 43622
 43623



Clip
Metallic
 43330



Clip 45°
Metallic
 43530




Box 95




Box 75




*Useful area: 12x3mm.



*Useful area: 12x3mm.



Compatible led strips.



Technical Information

Max. power	22W/m	15W/m
Installation	Recessed	Surface / Pendant
Material	Aluminium 6063 / 6060	Aluminium 6063 / 6060
Finishes	White / Black / Aluminium	White / Black / Aluminium
Code	<input type="checkbox"/> 95121 <input checked="" type="checkbox"/> 95122 <input type="checkbox"/> 95119 <input checked="" type="checkbox"/> Custom RAL	<input type="checkbox"/> 75121 <input checked="" type="checkbox"/> 75122 <input type="checkbox"/> 75119 <input checked="" type="checkbox"/> Custom RAL


ⓘ Consult delivery terms and conditions.

Common accessories



Opal
Prismatic
 75440

Box 95 accessories



End Cap
 95631
 95632
 95633

End Cap
 95621
 95622
 95623

Clip Metallic
 24710


Box 75 accessories



End Cap
 75621
 75622
 75623

Hanging bracket Metallic
 75330

Suspension Kit Metallic
 20720 (2m)







Box 38




Box 35



40mm x L



*Useful area: 23x20mm.



*Useful area: 23x20mm.




Box 38



Box 35



Compatible led strips.



Technical Information

Max. power	40W/m	40W/m
Installation	Recessed	Surface / Pendant
Material	Aluminium 6063 / 6060	Aluminium 6063 / 6060
Finishes	White / Black / Aluminium	White / Black / Aluminium
Code	<input type="checkbox"/> 38121 <input checked="" type="checkbox"/> 38122 <input type="checkbox"/> 38119 <input checked="" type="checkbox"/> Custom RAL	<input type="checkbox"/> 35121 <input checked="" type="checkbox"/> 35122 <input type="checkbox"/> 35119 <input checked="" type="checkbox"/> Custom RAL

ⓘ Consult delivery terms and conditions.

Common accessories

Diffuser PC Transp. 90% <input type="checkbox"/> 20750	Diffuser PC Opal 70% <input type="checkbox"/> 20700	Diffuser PC Black 50% <input type="checkbox"/> 20772	
Joint 180° Metallic <input type="checkbox"/> 20520	Joint 90° Metallic <input type="checkbox"/> 20510	Joint 90° Metallic <input type="checkbox"/> 20540	Joint 120° Metallic <input type="checkbox"/> 20530

Box 38 accessories


End Cap <input type="checkbox"/> 38621 <input checked="" type="checkbox"/> 38622 <input type="checkbox"/> 38623
Spring Clip Metallic <input type="checkbox"/> 20710

Box 35 accessories


End Cap <input type="checkbox"/> 35621 <input checked="" type="checkbox"/> 35622 <input type="checkbox"/> 35623	Clip Metallic <input type="checkbox"/> 35330	Suspension Kit Metallic <input type="checkbox"/> 20720 (2m)	Base 455x47x28mm
<input type="checkbox"/> 35331	<input checked="" type="checkbox"/> 35332	<input type="checkbox"/> 30W/24VDC on/off	
<input type="checkbox"/> 35361	<input checked="" type="checkbox"/> 35362	<input type="checkbox"/> 60W/24VDC on/off	
<input type="checkbox"/> 35311	<input checked="" type="checkbox"/> 35312	<input type="checkbox"/> 100W/24VDC on/off	
<input type="checkbox"/> 35351	<input checked="" type="checkbox"/> 35352	<input type="checkbox"/> 150W/24VDC on/off	
<input type="checkbox"/> 35731	<input checked="" type="checkbox"/> 35732	<input type="checkbox"/> 30W/24VDC dali	
<input type="checkbox"/> 35761	<input checked="" type="checkbox"/> 35762	<input type="checkbox"/> 60W/24VDC dali	
<input type="checkbox"/> 35711	<input checked="" type="checkbox"/> 35712	<input type="checkbox"/> 100W/24VDC dali	
<input type="checkbox"/> 35751	<input checked="" type="checkbox"/> 35752	<input type="checkbox"/> 150W/24VDC dali	



Box 14



*Useful area: 10x5mm.



Box 71



*Useful area: 14x5mm.




Box 14



Box 71



Compatible led strips.



Technical Information

Max. power	15W/m	22W/m
Installation	Surface / corner	Surface / corner
Material	Aluminium 6063 / 6060	Aluminium 6063 / 6060
Finishes	White / Black / Aluminium	White / Black / Aluminium
Code	<input type="radio"/> 14121 <input checked="" type="radio"/> 14122 <input type="radio"/> 14119 <input checked="" type="radio"/> Custom RAL	<input type="checkbox"/> 71121 <input checked="" type="checkbox"/> 71122 <input type="checkbox"/> 71119 <input checked="" type="checkbox"/> Custom RAL

ⓘ Consult delivery terms and conditions.

Box 14 accessories

Diffuser PC Opal 70%
 14480

End Cap
 14631
 14632
 14633

End Cap
 14621
 14622
 14623

Clip Metallic
 14330

Box 71 accessories

Diffuser PC Opal 70%
 71440


End Cap
 71631
 71632
 71633

End Cap
 71621
 71622
 71623




Clip Metallic
 71330




Box 60



*Useful area: 12x3mm.



Compatible led strips.



Technical Information

Max. power	20W/m
Installation	Surface / corner
Material	Aluminium 6063 / 6060
Finishes	White / Black / Aluminium
Code	<input type="checkbox"/> 60121 <input type="checkbox"/> 60122 <input type="checkbox"/> 60119 <input checked="" type="checkbox"/> Custom RAL

Consult delivery terms and conditions.

Accessories



Diffuser PC
Opal 70%
 60440



End Cap left
 60631
 60632
 60633



End Cap right
 60621
 60622
 60623



Clip
Metallic
 60330



3 YEARS WARRANTY | IP 20 | 30°-60° | 2m Max




Box 99



*Useful area: 8x3mm.

Compatible led strips.



Technical Information

Max. power	20W/m
Installation	Surface / Pendant
Material	Aluminium 6063 / 6060
Finishes	White / Black
Code	<input type="checkbox"/> 99121 <input checked="" type="checkbox"/> 99122 <input type="checkbox"/> Custom RAL

ⓘ Consult delivery terms and conditions.

Accessories

Diffuser PC Opal 70% <input type="checkbox"/> 99440	End Cap <input type="checkbox"/> 99621 <input checked="" type="checkbox"/> 99622	Suspension Kit Metallic <input type="checkbox"/> 99721 (2m) <input checked="" type="checkbox"/> 99722 (2m)	Joint 90° Metallic <input type="checkbox"/> 99510 <input checked="" type="checkbox"/> 99512	Joint 90° Metallic <input type="checkbox"/> 99540 <input checked="" type="checkbox"/> 99542	Joint 180° Metallic <input type="checkbox"/> 99520 <input checked="" type="checkbox"/> 99522




Box 11




Box 12



12mm x L



*Useful area: 5x10mm.



*Useful area: 5x10mm.



35°



35°


Box 11



Box 12



Compatible led strips.



Technical Information

Max. power	15W/m	15W/m
Installation	Recessed	Surface
Material	Aluminium 6063 / 6060	Aluminium 6063 / 6060
Finishes	Aluminium	Aluminium
Code	<input type="checkbox"/> 11119 Custom RAL	<input type="checkbox"/> 12119 Custom RAL

Consult delivery terms and conditions.

Common accessories



Diffuser PC
Opal 70%
 20480

Box 11 accessories



End Cap
 11633



End Cap
 11623

Box 12 accessories



Diffuser PC
Opal 70%
 20480




End Cap
 12633



End Cap
 12623






Clip
Metallic
 20730



3 YEARS WARRANTY | IP 20 | | 2m Max

Box 13



*Useful area: 12x3mm.

Compatible led strips.



Technical Information

Max. power	15W/m
Installation	Surface / flex
Material	Aluminium 6063 / 6060
Finishes	Aluminium
Code	13113

Accessories

- Diffuser PC
Opal 70%
13480
- End Cap
13633
- End Cap
13623
- Clip
Metallic
13330





Box 10





Box 19



22mm x L



*Useful area: 12x17,7mm.



*Useful area: 12x17,7mm.


Box 10



Box 19



Compatible led strips.




Technical Information


Max. power	25W/m	25W/m
Installation	Recessed	Surface / Pendant
Material	Aluminium 6063 / 6060	Aluminium 6063 / 6060
Finishes	White / Black / Aluminium	White / Black / Aluminium
Code	<input type="checkbox"/> 10121 <input checked="" type="checkbox"/> 10122 <input type="checkbox"/> 10119 <input checked="" type="checkbox"/> Custom RAL	<input type="checkbox"/> 19121 <input checked="" type="checkbox"/> 19122 <input type="checkbox"/> 19119 <input checked="" type="checkbox"/> Custom RAL

Consult delivery terms and conditions.

Common accessories



Diffuser PC Opal 70% 20490
 Diffuser PC Black 50% 20502
 Diffuser Continuous 20997



Joint 90° Metallic 20510
 Joint 90° Metallic 20540
 Joint 120° Metallic 20530
 Joint 180° Metallic 20520

Box 10 accessories



End Cap
 10621
 10622
 10623



Spring Clip Metallic 20710

Box 19 accessories



End Cap
 19621
 19622
 19623



Clip Metallic 19330




Suspension Kit Metallic 20720 (2m)





Base 455x47x28mm

<input type="checkbox"/> 35331	<input checked="" type="checkbox"/> 35332	30W/24VDC on/off
<input type="checkbox"/> 35361	<input checked="" type="checkbox"/> 35362	60W/24VDC on/off
<input type="checkbox"/> 35311	<input checked="" type="checkbox"/> 35312	100W/24VDC on/off
<input type="checkbox"/> 35351	<input checked="" type="checkbox"/> 35352	150W/24VDC on/off
<input type="checkbox"/> 35731	<input checked="" type="checkbox"/> 35732	30W/24VDC dali
<input type="checkbox"/> 35761	<input checked="" type="checkbox"/> 35762	60W/24VDC dali
<input type="checkbox"/> 35711	<input checked="" type="checkbox"/> 35712	100W/24VDC dali
<input type="checkbox"/> 35751	<input checked="" type="checkbox"/> 35752	150W/24VDC dali




Box 37



40mm x L

*Useful area: 23x20mm.

Compatible led strips.



Technical Information

Max. power	40W/m
Installation	Trimless
Material	Aluminium 6063 / 6060
Finishes	White
Code	<input type="checkbox"/> 37121
	<input checked="" type="checkbox"/> Custom RAL

ⓘ Consult delivery terms and conditions.

Accessories



Diffuser PC
Opal 70%
 37480






End Cap
 37621






Box 24



*Useful area: 12x3mm.

Compatible led strips.



Technical Information

Max. power	20W/m
Installation	Recessed
Material	Aluminium 6063 / 6060
Finishes	White / Black / Aluminium
Code	<input type="checkbox"/> 24121 <input checked="" type="checkbox"/> 24122 <input type="checkbox"/> 24119 <input type="checkbox"/> Custom RAL

ⓘ Consult delivery terms and conditions.

Accessories



Diffuser PC
Opal 70%
 24440



End Cap
 24631
 24632
 24633




End Cap
 24621
 24622
 24623



Spring Clip
Metallic
 24710







Box 69




16 x L

*Useful area: 10x3mm.



Compatible led strips.



Technical Information

Max. power	15W/m
Installation	Trimless
Material	Aluminium 6063 / 6060
Finishes	Aluminium
Code	<input type="checkbox"/> 69119



Accessories

- Diffuser Continuous (max. 20m)
 69440
- End Cap 69633
- End Cap 69623







Box 68




*Useful area: 12x3mm.




Box 32



*Useful area: 12x3mm.



Compatible led strips.




Technical Information

Max. power	20W/m	20W/m
Installation	Trimless	Trimless
Material	Aluminium 6063 / 6060	Aluminium 6063 / 6060
Finishes	White / Black	White
Code	<input type="checkbox"/> 68121 <input checked="" type="checkbox"/> 68122	<input type="checkbox"/> 32121

Common accessories




Box 68 accessories



Box 32 accessories




Box 22



*Useful area: 12x3mm.



Compatible led strips.



Technical Information

Max. power	2x15W/m
Installation	Surface
Material	Aluminium 6063 / 6060
Finishes	Black / Aluminium

Code	 22122
	 22119
	Custom RAL

Consult delivery terms and conditions.

Accessories



Diffuser PC
Opal 70%
 20497




Diffuser
Silicone Opal 60%
(max. 60m)
 20469
 20469-15



End Cap
 22622
 22623





Clip
Metallic
 22330




Box 33



*Useful area: 12,6x6,3mm.



Compatible led strips.



Technical Information

Max. power	20W/m
Installation	Surface
Material	Aluminium 6063 / 6060
Finishes	White / Black / Aluminium
Code	<input type="checkbox"/> 33121 <input checked="" type="checkbox"/> 33122 <input type="checkbox"/> 33119 <input type="checkbox"/> Custom RAL

Consult delivery terms and conditions.

Accessories



Diffuser PC
Opal 70%
 33440



Diffuser
Silicone Opal 60%
(max. 60m)
 20469
 20469-15



End Cap
 33621
 33622
 33623








▶ VIDEO



Box 98 railing



Compatible led strips.



*Useful area: 10x2mm.



Technical Information

Max. power	30W/m
Installation	Surface / railing
Material	Aluminium 6063 / 6060
Finishes	Black / White

Code	<input type="radio"/> 98121 <input checked="" type="radio"/> 98122 <input type="radio"/> Custom RAL
------	---

Consult delivery terms and conditions.

Accessories



Diffuser PC (2m)
Opal 70%
 98440




End Cap Kit
 98621
 98622



3D Joint
 UNI-98-B-3D
 UNI-98-N-3D





3D Cap
 TP-98-B-3D
 TP-98-N-3D



REF. (UNI-98-N-3D/UNI-98-B-3D) Y (TP-98-N-3D-TP-98-B-3D)

3 YEARS WARRANTY | IP 20 | 2m

Box 21



*Useful area: 12x3mm.



Compatible led strips.



Technical Information

Max. power	15W/m
Installation	Recessed
Material	Aluminium 6063 / 6060
Finishes	White / Aluminium
Code	<input type="checkbox"/> 21121 <input type="checkbox"/> 21119 <input checked="" type="checkbox"/> Custom RAL

Consult delivery terms and conditions.

Accessories



Diffuser PC
Opal 70%
 20497



Diffuser
Silicone Opal 60%
(max. 60m)
 20469
 20469-15



End Cap
Left
 21631
 21633



End Cap
Right
 21621
 21623



Box 27




17,7mm




43,5mm

115°



*Useful area: 12x3mm.

Compatible led strips.



Technical Information

Max. power	15W/m
Installation	Surface
Material	Aluminium 6063 / 6060
Finishes	White / Black / Aluminium
Code	<input type="checkbox"/> 27121 <input checked="" type="checkbox"/> 27122 <input type="checkbox"/> 27119 <input checked="" type="checkbox"/> Custom RAL

Consult delivery terms and conditions.

Accessories



Diffuser PC
Opal 70%
 20497



Diffuser
Silicone Opal 60%
(max. 60m)
 20469
 20469-15



End Cap left
 27631
 27632
 27633



End Cap right
 27621
 27622
 27623



3 YEARS WARRANTY

IP 20




2m Max






Box 65



Compatible led strips.




Technical Information


Max. power	12W/m
Installation	Surface / skirting
Material	Aluminium 6063 / 6060
Finishes	White / Black / Aluminium
Code	<input type="checkbox"/> 65121 <input checked="" type="checkbox"/> 65122 <input type="checkbox"/> 65119 <input checked="" type="checkbox"/> Custom RAL

Consult delivery terms and conditions.



Accessories

Diffuser PC Opal 70% <input type="checkbox"/> 65440	End Cap Kit <input type="checkbox"/> 65621 <input checked="" type="checkbox"/> 65622 <input type="checkbox"/> 65623	90° outside connector <input type="checkbox"/> 65221 <input checked="" type="checkbox"/> 65222 <input type="checkbox"/> 65223	90° inside connector <input type="checkbox"/> 65331 <input checked="" type="checkbox"/> 65332 <input type="checkbox"/> 65333	Joint 180° Metallic <input type="checkbox"/> 65550






Box 67



*Useful area: 12x3mm.

Compatible led strips.



Technical Information

Max. power	12W/m
Installation	Surface / stairs
Material	Aluminium 6063 / 6060
Finishes	Black
Code	■ 67122

Accessories




Diffuser PC
Opal 70%
■ 67440




End Cap
Left
■ 67632-L





End Cap
Right
■ 67632-R



PVC anti-skid cover
■ 67452



Box 39



Opal 90°
Transparent 105°




Optic 30°

*Useful area: 12x8mm.



Compatible led strips.



Technical Information

Max. power	25W/m
Installation	Surface / Pendant
Material	Aluminium 6063 / 6060
Finishes	Black
Code	● 39122
	🚫 🌈 Custom RAL

🚫 Consult delivery terms and conditions.

Accessories



Diffuser PC
Opal 70%
○ 39440



Diffuser PC
Transp. 90%
○ 39450



Diffuser PC
Optic 30%
□ 39430



End Cap
● 39622



Clip
Plastic
○ 25530




Suspension Kit
○ 25887 (2m)




Suspension Kit
○ 39720



Base 455x47x28mm
 □ 35331 (30W/24V) ■ 35332 (30W/24V)
 □ 35361 (60W/24V) ■ 35362 (60W/24V)
 □ 35311 (100W/24V) ■ 35312 (100W/24V)




Box 28



*Useful area: 12x5mm.

Compatible led strips.



Technical Information

Max. power	40W/m
Installation	Surface
Material	Aluminium 6063 / 6060
Finishes	Aluminium
Code	○ 28119

Accessories



Diffuser PC
Optic 30%
○ 28430



End Cap
○ 28633



End Cap
○ 28623



Clip
Metallic
■ 28330




3 YEARS WARRANTY

IP 20




2m Max






Box 29



*Useful area: 12x18mm.

Compatible led strips.



Technical Information

Max. power	25W/m
Installation	Recessed
Material	Aluminium 6063 / 6060
Finishes	Aluminium
Code	□ 29119

Accessories





Diffuser PC
Opal 70%
□ 29480



End Cap
□ 29623




Box 73



*Useful area: 12x7mm.



Compatible led strips.



Technical Information

Max. power	22W/m
Installation	Surface
Material	Aluminium 6063 / 6060
Finishes	White / Black / Aluminium
Code	<input type="checkbox"/> 73121 <input checked="" type="checkbox"/> 73122 <input type="checkbox"/> 73119 <input checked="" type="checkbox"/> Custom RAL

ⓘ Consult delivery terms and conditions.

Accessories



Diffuser PC
Opal 70%
 73440




End Cap
 73621
 73622
 73623





End Cap
 73631
 73632
 73633




Box 30 12mm



Box 30 20mm



Compatible led strips.



Technical Information

Max. power	20W/m	40W/m
Installation	Surface	Surface
Material	Aluminium 6063 / 6060	Aluminium 6063 / 6060
Finishes	Aluminium	Aluminium
Code	☐ 30129	☐ 30209

ⓘ Consult delivery terms and conditions.

