






WALL

Wall



Lao



Recessed box included
66mm x Ø73mm



White and black cover included




*Recessed box, white and black cover included.

Technical Information

Power	1,5W
Installation	Recessed
Color Temperature	Switch 2.700K / 3.200K / 4.000K
Lumens	20 lm
Material	Aluminium
Finishes	White / Black
Code	<input type="checkbox"/> <input type="checkbox"/> 5027 <input type="checkbox"/> Custom RAL








ⓘ Consult delivery terms and conditions.





Ilo

Skin



*Recessed box included.




Technical Information


Power	2W	2W
Installation	Recessed	Recessed
Color Temperature	3.000K	3.000K
Lumens	60 lm	60 lm
Material	Aluminium	Aluminium
Finishes	White / Black	White / Black
Code	<input type="radio"/> 4126 <input type="radio"/> 4127 <input type="radio"/> Custom RAL	<input type="checkbox"/> 4108 <input type="checkbox"/> 4109 <input type="checkbox"/> Custom RAL



ⓘ Consult delivery terms and conditions.

3 YEARS WARRANTY | 25.000 HOURS | IP 20 | 220/240 VAC | PF >0,5 | CRI ≥80 | 120° | 50/60 Hz | IK07 | +50°C / -20°C | 1/50





*Recessed box included.

Technical Information


Power	4W	4W	4W
Installation	Recessed	Recessed	Recessed
Color Temperature	3.000K	3.000K	3.000K
Lumens	60 lm	60 lm	60 lm
Material	Aluminium	Aluminium	Aluminium
Finishes	White / Black	White / Black	White / Black

Code	<input type="checkbox"/> 4112 <input type="checkbox"/> 4113 <input type="checkbox"/> Custom RAL	<input type="radio"/> 4106 <input type="radio"/> 4107 <input type="radio"/> Custom RAL	<input type="checkbox"/> 4110 <input type="checkbox"/> 4111 <input type="checkbox"/> Custom RAL
------	---	--	---





ⓘ Consult delivery terms and conditions.

3 YEARS WARRANTY | 25.000 HOURS | IP 20 | 220/240 VAC | PF >0,5 | CRI ≥80 | 50/60 Hz | IK07 | +50°C / -20°C | 1/50



Pun



Recessed box included
66mm x Ø73mm



White and black cover included



Technical Information

Power	3W
Installation	Recessed
Color Temperature	Switch 2.700K / 3.200K / 4.000K
Lumens	65 lm
Material	Aluminium
Finishes	White / Black

Code	○ ● 5029
	🇨🇪 Custom RAL




📄 Consult delivery terms and conditions.

3 YEARS WARRANTY | 25.000 HOURS | IP 20 | 85/265 VAC | PF >0,4 | CRI ≥80 | | 38° | 50/60 Hz | IK07 | +45°C / -20°C | CCT SWITCH | 1/50



Pure wall



*On IPHONE devices older than the EU2022/2380 directive, or with outdated software, the device may not recognize the charger.

Technical Information

Power	4W
Installation	Surface
Color Temperature	2.700K
Lumens	155 lm / 80 lm / 40 lm
Material	Aluminium
Finishes	White / Black
Code	<input type="checkbox"/> 5159 <input type="checkbox"/> 5160




*Charger by USB.

3 YEARS WARRANTY | 30.000 HOURS | IP 20 | 220/240 VAC | PF >0,5 | USB-C 5V 2A | CRI ≥90 | 30° | 50/60 Hz | 3 INTENSITIES | +40°C / -20°C | 1/20




Sweet wall



*On IPHONE devices older than the EU2022/2380 directive, or with outdated software, the device may not recognize the charger.

Technical Information

Power	4W
Installation	Surface
Color Temperature	2.700K
Lumens	150 lm / 90 lm / 40 lm
Material	Aluminium
Finishes	White / Black
Code	<input type="checkbox"/> 5155 <input checked="" type="checkbox"/> 5156




*Charger by induction and USB.

3 YEARS WARRANTY | 30.000 HOURS | IP 20 | 220/240 VAC | PF >0,4 | USB-C 5V 2A | CRI ≥90 | 20° | 5W | 50/60 Hz | 3 INTENSITIES | +40°C / -20°C | 1/10



Beam wall



*On IPHONE devices older than the EU2022/2380 directive, or with outdated software, the device may not recognize the charger.

Technical Information

Power	5W
Installation	Surface
Color Temperature	2.700K
Lumens	380 lm / 190 lm / 95 lm
Material	Aluminium
Finishes	White / Black
Code	<input type="checkbox"/> 5157 <input checked="" type="checkbox"/> 5158





*Charger by USB-C.





Mini Icon wall

Icon wall



Technical Information

Power	7W	12W
Installation	Surface	Surface
Color Temperature	Switch 2.700K / 3.200K / 4.000K	Switch 2.700K / 3.200K / 4.000K
Lumens	770 lm	1.320 lm
Material	Aluminium	Aluminium
Finishes	White / Black / Corten	White / Black / Corten
Code	<input type="checkbox"/> 4383 <input type="checkbox"/> 4384 <input type="checkbox"/> 4385 <input checked="" type="checkbox"/> Custom RAL	<input type="checkbox"/> 4386 <input type="checkbox"/> 4387 <input type="checkbox"/> 4388 <input checked="" type="checkbox"/> Custom RAL




ⓘ Consult delivery terms and conditions.

3 YEARS WARRANTY | 30.000 HOURS | IP 20 | 220/240 VAC | UGR <14 | PF >0,5 | CRI >90 | 120° | 50/60 Hz | +50°C / -20°C | CCT SWITCH | 1/12



Tron



Technical Information

Power	5W / 8W / 16W / 24W
Installation	Surface
Color Temperature	2.700K / 3.000K / 4.000K
Lumens	300 lm - 2.400 lm
Material	Aluminium
Finishes	White / Black


Code	Diffuser	Size (X)	CCT (Lm/W) - Power/m	Driver	Colour
Code 9	Opal 7	Nano tron 140mm	0 2.700K (60 lm/W) - 29W/m	Triac 4	<input type="checkbox"/> White (9003) 1
		Mini tron 290mm	1 3.000K (65 lm/W) - 29W/m		<input type="checkbox"/> Black (9005) 2
		Tron 590mm	2 4.000K (70 lm/W) - 29W/m		<input checked="" type="checkbox"/> Custom RAL C
		Tron XL 870mm	3		

Code: **9** **7** **4**




Consult delivery terms and conditions.
*Create your code according to your preferences.





Sphere alp wall



*On IPHONE devices older than the EU2022/2380 directive, or with outdated software, the device may not recognize the charger.

Technical Information

Power	20W
Installation	Surface
Color Temperature	2.700K / 3.000K
Lumens	680 lm
Material	Aluminium and glass
Finishes	White / Black

Code	○	2.700K	5339
	○	3.000K	5340
	●	2.700K	5342
	●	3.000K	5343





3 YEARS WARRANTY | 30.000 HOURS | IP 20 | → | 220/240 VAC | PF >0,9 | UGR <19 | | | 360° | 36° | 50/60 Hz | +40°C / -20°C | 1/6



One GU10 wall



One GU10 wall dual



*GU10 Bulbholder included, LED lamp not included.

Technical Information

Installation	Surface	Surface
Material	Aluminium	Aluminium
Finishes	White / Black / Corten	White / Black / Corten
Bulbholder	50mm GU10 (except Power bulb)	50mm GU10 (except Power bulb)
Code	<ul style="list-style-type: none"> ○ 5006 ● 5007 ● 5008 ① Custom RAL 	<ul style="list-style-type: none"> ○ 5009 ● 5010 ● 5011 ① Custom RAL





① Consult delivery terms and conditions.





Zio GU10 wall

Zio GU10 wall dual



*GU10 Bulbholder included, LED lamp not included.

Technical Information

Installation	Surface	Surface
Material	Aluminium	Aluminium
Finishes	White / Black / Corten	White / Black / Corten
Bulbholder	50mm GU10 (except Power bulb)	50mm GU10 (except Power bulb)
Code	<input type="checkbox"/> 5012 <input checked="" type="checkbox"/> 5013 <input type="checkbox"/> 5014 <input checked="" type="checkbox"/> Custom RAL	<input type="checkbox"/> 5015 <input checked="" type="checkbox"/> 5016 <input type="checkbox"/> 5017 <input checked="" type="checkbox"/> Custom RAL



ⓘ Consult delivery terms and conditions.

