

MINI HAT 48V SUSPENSION 8W CARRIL MAGNÉTICO 2700K NEGRO MATE

Producto

Subcategoría	CARRIL MAGNÉTICO
Material de la carcasa	ALUMINIO
RAL personalizado	NO

Fuente de luz

Power (W)	8W
Flujo luminoso (lm)	800 lm
Eficacia (lm/W)	100 lm/W
Ángulo del haz de luz (°)	70°
Temperatura de color (K)	2700K
Protección (IP)	IP20
Vida útil (h)	30.000 HOURS
Garantía (años)	3
Control	ON/OFF

Datos eléctricos

Voltaje de entrada	48
Clase de aislamiento eléctrico	CLASS III

Datos de montaje y logística


Longitud (mm) x Ancho (mm) x Altura (mm)	200 x - x -
Unidad de embalaje (pieza)	1
Caja interior PU	10

MINI HAT 48V
SUSPENSION




Color/Acabados

BLACK



Accesorios

MAGNET TRACK 48V RECESSED



L JOINT 48V CEILING RECESSED

W: 100 H: 55

☐ BLACK: 4639



L JOINT 48V WALL CEILING RECESSED

W: 100 H: 72

☐ BLACK: 4641




END CAP 48V RECESSED

W: 31 H: 2

☐ BLACK: 4647

LINEAR JOINT 48V RECESSED

W: 11,5 H: 1



MAGNET TRACK 48V RECESSED


W: 72 H: 55

☐ BLACK: 4663

☐ BLACK: 4665

Accesorios

MAGNET TRACK 48V SURFACE




MAGNET TRACK 48V SURFACE

W: 30 H: 54

☐ BLACK: 4659

☐ BLACK: 4661



CURVE MAGNET TRACK 48V SURFACE

W: 26 H: 53

☐ BLACK: 5319



CURVE END CAP 48V

W: 26,6 H: 2

☐ BLACK: 5427



L JOINT 48V WALL CEILING SURFACE

W: 100 H: 26

☐ BLACK: 4637



L JOINT 48V CEILING SURFACE

W: 40 H: 53

☐ BLACK: 4643



END CAP 48V SURFACE

W: 26,6 H: 2

☐ BLACK: 4649



LINEAR JOINT 48V SURFACE

W: 22,5 H: 2

☐ BLACK: 4653



SUSPENSION KIT 48V

W: 22 H: 1900

☐ BLACK: 4807

Accesorios

MAGNET TRACK COMMON ACCESSORIES



START CONNECTOR 48V

W: 18 H: 18

☐ BLACK: 4657

Accesorios

MAGNET TRACK 48V POWER SUPPLY

POWER SUPPLY TOP

W: 64 H: 38



POWER SUPPLY 48V BASIC

W: 42 H: 32

☐ BLACK: 4711



POWER SUPPLY INTEGRATED

☐ BLACK: 6023

☐ BLACK: 6024

☐ BLACK: 6025
